IN THE CLAIMS:

Please amend the claims as follows:

1. (Previously Presented) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

moving at least some blocks of a file from said live filespace to said zombie filespace; and

recording changes to said zombie filespace in a persistent memory.

2. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

moving at least some blocks of a file from said live filespace to said zombie filespace;

recording changes to said zombie filespace in a persistent memory; and

for a deletion operation on a file in said live filespace: (a) transferring said file from said live filespace to said zombie filespace; (b) breaking links associating disk blocks with said file ~~in a plurality of steps~~ while said file is associated with said zombie filespace, wherein

said recording of changes includes recording said breaking of links ~~in a plurality of steps~~; and (c)

altering said live filespace to reflect said deletion operation.

3. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

moving at least some blocks of a file from said live filespace to said zombie

filespace;

recording changes to said zombie filespace in a persistent memory; and

for a truncation operation on a file in said live filespace: (a) transferring at least a

portion of said file from said live filespace to said zombie filespace; (b) breaking links

associating disk blocks with said file ~~in a plurality of steps~~ while a portion of said file is

associated with said zombie filespace, wherein said recording of changes includes recording said

breaking of links ~~in a plurality of steps~~; and (c) altering said live filespace to reflect changes

associated with said breaking of links.

4. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

moving at least some blocks of a file from said live filespace to said zombie

filespace;

recording changes to said zombie filespace in a persistent memory; and

for an operation apparent to users as ~~substantially~~ atomic, performing said

operation ~~in a plurality of steps~~ using said zombie filespace, wherein said recording changes is

performed in said persistent memory for each of said plurality of steps.

5. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

moving at least some blocks of a file from said live filespace to said zombie

filespace;

recording changes to said zombie filespace in a persistent memory; and

for an operation performed on a file having attached data elements, performing

said operation using said zombie file-space.

6. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

moving at least some blocks of a file from said live filespace to said zombie

filespace;

recording changes to said zombie filespace in a persistent memory; and

for an operation performed using said zombie filespace, altering a size of said zombie filespace during performance of said operation.

7. (Original) A method as in claim 1, including, for an operation performed using said zombie filespace, checkpointing said filesystem during performance of said operation.

8. (Currently Amended) A method as in claim 1, including recording changes to said live filespace in said persistent memory, wherein records of changes to said live filespace and of changes to said zombie filespace are ~~substantially~~ interspersed.

9. (Original) A method as in claim 1, including replaying a set of said changes in response to said record.

10. (Currently Amended) A method as in claim 1, including replaying a set of said changes to said live filespace and to said zombie filespace, wherein replay of changes includes ~~substantial~~ interspersed performance of changes to said live filespace and to said zombie filespace.

11. (Original) A method as in claim 1, including replaying a set of said changes in said record in response to a crash recovery by said filesystem.

12. (Currently Amended) A method as in claim 1, wherein said persistent memory includes a log of ~~substantially~~ all changes, within a selected time duration, to either said live filespace or said zombie filespace.

13. (Currently Amended) A method as in claim 1, wherein said persistent memory includes a log of ~~substantially~~ all changes, within a selected time duration, to said zombie filespace.

14. (Currently Amended) A method as in claim 1, wherein said recorded changes include a set of ~~substantially~~ atomic operations to said zombie filespace.

15. (Previously Presented) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

       moving at least some blocks of a file from said live filespace to said zombie filespace; and

       dynamically growing said zombie filespace.

16. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

moving at least some blocks of a file from said live filespace to said zombie

filespace;

recording changes to said zombie filespace in a persistent memory; and

for a deletion or truncation operation on a file in said live filespace: (a) allocating

storage within said zombie filespace for metadata associated with said file; (b) performing said

dynamic growth in response to failure of said allocation of storage; (c) re-performing said

allocation of storage after said dynamic growth; and (d) transferring said file from said live

filespace to said zombie filespace.

17. (Original) A method as in claim 15, wherein said dynamic growth occurs, for

an operation performed using said zombie filespace, during performance of said operation.

18. (Previously Presented) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

transfer of a file from said live filespace to said zombie filespace before breakage

of links to blocks in said file, in response to an operation on said file, said operation using said

zombie filespace.

19. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

transfer of a file to said zombie filespace before breakage of links to blocks in said file, in response to an operation on said file, said operation using said zombie filespace;

wherein, for a deletion operation on a file in said live filespace, said transfer includes (a) creating a link associating said file with said zombie filespace, [[;]] and (b) breaking a link associating said file with said live filespace; and said deletion operation includes (a) breaking links associating disk blocks with said file in a plurality of steps while said file is associated with said zombie filespace, [[;]] (b) recording said breaking of links in a plurality of steps;, and (c) altering said live filespace to reflect said deletion operation.

20. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

transfer of a file to said zombie filespace before breakage of links to blocks in said file, in response to an operation on said file, said operation using said zombie filespace;

wherein, for a truncation operation on a file in said live filespace, said transfer includes (a) creating a link associating at least a portion of said file with said zombie filespace, [[;]] and (b) breaking a link associating said portion with said file in said live filespace; and said truncation operation includes (a) breaking links associating disk blocks with said file in a

plurality of steps while a portion of said file is associated with said zombie filespace, wherein

said recording of changes includes recording said breaking of links in a plurality of steps; and

(b) altering said live filespace to reflect changes associated with said breaking of links.

21. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

transfer of a file from said live filespace to said zombie filespace before

performing any substantial portion of an operation on said file, said operation using said zombie

filespace.

22. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

transfer of a file to said zombie filespace before performing any substantial

portion of an operation on said file, said operation using said zombie filespace;

wherein, for a deletion operation on a file in said live filespace, said transfer

includes (a) creating a link associating said file with said zombie filespace, [[;]] and (b) breaking

a link associating said file with said live filespace; and said deletion operation includes (a)

breaking links associating disk blocks with said file in a plurality of steps only while said file is

associated with said zombie filespace, [[;]] (b) recording said breaking of links ~~in a plurality of~~

~~steps;~~ and (c) altering said live filespace to reflect said deletion operation.

23. (Currently Amended) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

transfer of a file to said zombie filespace before performing any ~~substantial~~

portion of an operation on said file, said operation using said zombie filespace;

wherein, for a truncation operation on a file in said live filespace, said transfer

includes (a) creating a link associating at least a portion of said file with said zombie filespace,

[[;]] and (b) breaking a link associating said portion with said file in said live filespace; and said

truncation operation includes (a) breaking links associating disk blocks with said file ~~in a~~

~~plurality of steps~~ only while a portion of said file is associated with said zombie filespace, [[;]]

(b) recording said breaking of links ~~in a plurality of steps;~~ and (c) altering said live filespace to

reflect changes associated with said breaking of links.

24. (Previously Presented) A method of operating a filesystem, said filesystem

including a live filespace accessible to users and a zombie filespace not accessible to users, said

method including

moving at least some blocks of a file from said live filespace to said zombie

filespace; and

replay of an operation on said file, said operation using said zombie filespace.

25. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

replay of an operation on a file, said operation using said zombie filespace;

wherein said replay is responsive to a set of recorded changes in a persistent memory;

and including, for a deletion operation on a file in said live filespace, (a) transferring said file from said live filespace to said zombie filespace, and recording said transfer in said persistent memory; (b) breaking links associating disk blocks with said file in a plurality of steps while said file is associated with said zombie filespace, and recording said breaking of links in said persistent memory in a plurality of steps; and (c) altering said live filespace to reflect said deletion operation, and recording said alteration in said persistent memory.

26. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

replay of an operation on a file, said operation using said zombie filespace;

wherein said replay is responsive to a set of recorded changes in a persistent memory;

and including, for a truncation operation on a file in said live filespace, (a) transferring at least a portion of said file from said live filespace to said zombie filespace, and recording said transfer in said persistent memory; (b) breaking links associating disk blocks with said file ~~in a plurality of steps~~ while a portion of said file is associated with said zombie filespace, and recording said breaking of links in said persistent memory ~~in a plurality of steps~~; and (c) altering said live filespace to reflect changes associated with said breaking of links, and recording said alteration in said persistent memory.

27. (Previously Presented) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

moving at least some blocks of a file from said live filespace to said zombie filespace; and

replay of a set of filesystem operations, said operations including at least some operations using said live filespace and at least some operations using said zombie filespace.

28. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

replay of a set of filesystem operations, said operations including at least some operations using said live filespace and at least some operations using said zombie filespace;

wherein said replay is responsive to a set of recorded changes in a persistent memory;

and including, for a deletion operation on a file in said live filespace, (a) transferring said file from said live filespace to said zombie filespace, and recording said transfer in said persistent memory; (b) breaking links associating disk blocks with said file ~~in a plurality of steps~~ while said file is associated with said zombie filespace, and recording said breaking of links in said persistent memory ~~in a plurality of steps~~; and (c) altering said live filespace to reflect said deletion operation, and recording said alteration in said persistent memory.

29. (Currently Amended) A method of operating a filesystem, said filesystem including a live filespace accessible to users and a zombie filespace not accessible to users, said method including

replay of a set of filesystem operations, said operations including at least some operations using said live filespace and at least some operations using said zombie filespace;

wherein said replay is responsive to a set of recorded changes in a persistent memory;

and including, for a truncation operation on a file in said live filespace, (a) transferring at least a portion of said file from said live filespace to said zombie filespace, and recording said transfer in said persistent memory; (b) breaking links associating disk blocks with said file ~~in a plurality of steps~~ while a portion of said file is associated with said zombie filespace, and recording said breaking of links in said persistent memory ~~in a plurality of steps~~;

and (c) altering said live filespace to reflect changes associated with said breaking of links, and recording said alteration in said persistent memory.